



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Free, Limited Service\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



Full text of every article ever published by ACM.

- **Using the ACM Digital Library**

- [Frequently Asked Questions \(FAQ's\)](#)

Recently loaded issues and proceedings:
(available in the DL within the past 2 weeks)

 Journal of Experimental Algorithmics (JEA)
[Volume 9](#)

 ACM Transactions on Computer-Human Interaction (TOCHI)
[Volume 11 Issue 2](#)

 ACM Transactions on Database Systems (TODS)
[Volume 29 Issue 2](#)

ACM Transactions on Software Engineering and Methodology (TOSEM)

**Feedback**

- [Report a problem](#)
- [Take our Satisfaction survey](#)



- **Advanced Search**

- **Browse the Digital Library:**

- [Journals](#)
- [Magazines](#)
- [Transactions](#)
- [Proceedings](#)
- [Newsletters](#)
- [Publications by Affiliated Organizations](#)
- [Special Interest Groups \(SIGs\)](#)

Personalized Services: [Login required](#)**My Binders**

Save search results and queries. Share binders with colleagues and build bibliographies.

**TOC Service**

Receive the table of contents via email as new issues or proceedings become available.



[CrossRef Search](#)
 Pilot program to create full-text interpublisher searchability.



Access [critical reviews](#) of computing literature.

THE GUIDE TO COMPUTING LITERATURE

Bibliographic collection from major publishers in computing.
[Go to The Guide](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **speech synthesis facial animation**Found **4,320** of **138,663**

Sort results by

[Save results to a Binder](#)[Try an Advanced Search](#)

Display results

[Search Tips](#)[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Automated lip-synch and speech synthesis for character animation](#)

J. P. Lewis, F. I. Parke

 May 1986 **ACM SIGCHI Bulletin , Proceedings of the SIGCHI/GI conference on Human factors in computing systems and graphics interface**, Volume 17 Issue SI
Full text available: [pdf\(757.78 KB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

An automated method of synchronizing facial animation to recorded speech is described. In this method, a common speech synthesis method (linear prediction) is adapted to provide simple and accurate phoneme recognition. The recognized phonemes are then associated with mouth positions to provide keyframes for computer animation of speech using a parametric model of the human face. The linear prediction software, once implemented, can also be used for speech resynthesis. The synthesis ...

2 [Trainable videorealistic speech animation](#)

Tony Ezzat, Gadi Geiger, Tomaso Poggio

 July 2002 **ACM Transactions on Graphics (TOG) , Proceedings of the 29th annual conference on Computer graphics and interactive techniques**, Volume 21 Issue 3
Full text available: [pdf\(524.89 KB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We describe how to create with machine learning techniques a generative, speech animation module. A human subject is first recorded using a videocamera as he/she utters a predetermined speech corpus. After processing the corpus automatically, a visual speech module is learned from the data that is capable of synthesizing the human subject's mouth uttering entirely novel utterances that were not recorded in the original video. The synthesized utterance is re-composited onto a background sequence ...

Keywords: facial animation, facial modeling, lip synchronization, morphing, optical flow, speech synthesis

3 [Posters and Short Papers: An integrated framework for face modeling, facial motion analysis and synthesis](#)

Pengyu Hong, Zhen Wen, Thomas Huang

 October 2001 **Proceedings of the ninth ACM international conference on Multimedia**
Full text available: [pdf\(2.37 MB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents an integrated framework for face modeling, facial motion analysis and

synthesis. This framework systematically addresses three closely related research issues: (1) selecting a quantitative visual representation for face modeling and face animation; (2) automatic facial motion analysis based on the same visual representation; and (3) speech to facial coarticulation modeling. The framework provides a guideline for methodically building a face modeling and animation system. The ...

Keywords: face animation, face modeling, facial motion analysis, iFACE, speech to facial coarticulation modeling

4 BEAT: the Behavior Expression Animation Toolkit

Justine Cassell, Hannes Högni Vilhjálmsón, Timothy Bickmore

August 2001 **Proceedings of the 28th annual conference on Computer graphics and interactive techniques**

Full text available:  pdf(158.86 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Behavior Expression Animation Toolkit (BEAT) allows animators to input typed text that they wish to be spoken by an animated human figure, and to obtain as output appropriate and synchronized nonverbal behaviors and synthesized speech in a form that can be sent to a number of different animation systems. The nonverbal behaviors are assigned on the basis of actual linguistic and contextual analysis of the typed text, relying on rules derived from extensive research into human conversationa ...

Keywords: animation systems, facial animation, gesture, speech synthesis

5 Posters & demos: Speech driven facial animation

P. Kakumanu, R. Gutierrez-Osuna, A. Esposito, R. Bryll, A. Goshtasby, O. N. Garcia

November 2001 **Proceedings of the 2001 workshop on Perceptive user interfaces**

Full text available:  pdf(880.00 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The results reported in this article are an integral part of a larger project aimed at achieving perceptually realistic animations, including the individualized nuances, of three-dimensional human faces driven by speech. The audiovisual system that has been developed for learning the spatio-temporal relationship between speech acoustics and facial animation is described, including video and speech processing, pattern analysis, and MPEG-4 compliant facial animation for a given speaker. In particu ...

Keywords: MPEG-4, computer vision, facial animation, lip-syncing, speech processing

6 Facial animation & hair: Geometry-driven photorealistic facial expression synthesis

Qingshan Zhang, Zicheng Liu, Baining Guo, Harry Shum

July 2003 **Proceedings of the 2003 ACM SIGGRAPH/Eurographics Symposium on Computer Animation**

Full text available:  pdf(62.32 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Expression mapping (also called performance driven animation) has been a popular method to generate facial animations. One shortcoming of this method is that it does not generate expression details such as the wrinkles due to the skin deformation. In this paper, we provide a solution to this problem. We have developed a geometry-driven facial expression synthesis system. Given the feature point positions (geometry) of a facial expression, our system automatically synthesizes the corresponding ex ...

7 Speech dialogue with facial displays: multimodal human-computer conversation

Katashi Nagao, Akikazu Takeuchi

June 1994 **Proceedings of the 32nd conference on Association for Computational Linguistics**

Full text available:  pdf(865.08 KB)



Publisher Site

Additional Information: [full citation](#), [abstract](#), [references](#)

Human face-to-face conversation is an ideal model for human-computer dialogue. One of the major features of face-to-face communication is its multiplicity of communication channels that act on multiple modalities. To realize a natural multimodal dialogue, it is necessary to study how humans perceive information and determine the information to which humans are sensitive. A face is an independent communication channel that conveys emotional and conversational signals, encoded as facial expression ...

8 Video Rewrite: driving visual speech with audio

Christoph Bregler, Michele Covell, Malcolm Slaney

August 1997 **Proceedings of the 24th annual conference on Computer graphics and interactive techniques**

Full text available:  pdf(179.44 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: facial animation, lip sync

9 Facial animation framework for the web and mobile platforms

Igor S. Pandzic

February 2002 **Proceeding of the seventh international conference on 3D Web technology**

Full text available:  pdf(906.61 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Talking virtual characters are graphical simulations of real or imaginary persons capable of human-like behavior, most importantly talking and gesturing. They may find applications on the Internet and mobile platforms as newscasters, customer service representatives, sales representatives, guides etc. After briefly discussing the possible applications and the technical requirements for bringing such applications to life, we describe our approach to enable these applications: the Facial Animation ...

Keywords: FBA, MPEG-4, VRML, facial animation, facial motion cloning, talking head, virtual characters, virtual humans, visual text-to-speech

10 MPEG-4: an object-based multimedia coding standard supporting mobile applications

Atul Puri, Alexandros Eleftheriadis

June 1998 **Mobile Networks and Applications**, Volume 3 Issue 1

Full text available:  pdf(747.80 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The ISO MPEG committee, after successful completion of the MPEG-1 and the MPEG-2 standards is currently working on MPEG-4, the third MPEG standard. Originally, MPEG-4 was conceived to be a standard for coding of limited complexity audio-visual scenes at very low bit-rates; however, in July 1994, its scope was expanded to include coding of scenes as a collection of individual audio-visual objects and enabling a range of advanced functionalities not supported by other standards. One of the ke ...

11 Intelligent animated agents for interactive language training

Ron Cole, Tim Carmell, Pam Connors, Mike Macon, Johan Wouters, Jacques de Villiers, Alice

Tarachow, Dominic Massaro, Michael Cohen, Jonas Beskow, Jie Yang, Uwe Meier, Alex Waibel, Pat Stone, Alice Davis, Chris Soland, George Fortier
 June 1998 **ACM SIGCAPH Computers and the Physically Handicapped**, Issue 61

Full text available:  [pdf\(441.05 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

This report describes a three-year project, now eight months old, to develop interactive learning tools for language training with profoundly deaf children. The tools combine four key technologies: speech recognition, developed at the Oregon Graduate Institute; speech synthesis, developed at the University of Edinburgh and modified at OGI; facial animation, developed at University of California, Santa Cruz; and face tracking and speech reading, developed at Carnegie Mellon University. These tech ...

12 Communicative facial displays as a new conversational modality

Akikazu Takeuchi, Katashi Nagao

May 1993 **Proceedings of the SIGCHI conference on Human factors in computing systems**

Full text available:  [pdf\(1.03 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The human face is an independent communication channel that conveys emotional and conversational signals encoded as facial displays. Facial displays can be viewed as communicative signals that help coordinate conversation. We are attempting to introduce facial displays into computer-human interaction as a new modality. This will make the interaction tighter and more efficient while lessening the cognitive load. As the first step, a speech dialogue system was selected to investigate the power ...

Keywords: anthropomorphism, conversational interfaces, facial expression, multimodal interfaces, user interface design

13 Reception and posters: Model-based talking face synthesis for anthropomorphic spoken dialog agent system

Tatsuo Yotsukura, Shigeo Morishima, Satoshi Nakamura

November 2003 **Proceedings of the eleventh ACM international conference on Multimedia**

Full text available:  [pdf\(1.34 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Towards natural human-machine communication, interface technologies by way of speech and image information have been intensively developed. An anthropomorphic dialog agent is an ideal system, which integrates spoken dialog and natural facial expressions. This paper reports on our project aiming to create a general-purpose toolkit for building an easily customizable anthropomorphic agent. There have been almost no tools so far such as intuitive, easy to understand, fully interactive, and open source ...

Keywords: anthropomorphic dialog agent, face image synthesis, facial animation, lip synchronization

14 Speech and gaze: A computer-animated tutor for spoken and written language learning

Dominic W. Massaro

November 2003 **Proceedings of the 5th international conference on Multimodal interfaces**

Full text available:  [pdf\(481.38 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Baldi, a computer-animated talking head is introduced. The quality of his visible speech has been repeatedly modified and evaluated to accurately simulate naturally talking humans. Baldi's visible speech can be appropriately aligned with either synthesized or natural

auditory speech. Baldi has had great success in teaching vocabulary and grammar to children with language challenges and training speech distinctions to children with hearing loss and to adults learning a new language. We demonstrat ...

Keywords: facial and speech synthesis, language learning

15 Facial animation (panel): past, present and future

Demetri Terzopoulos, Barbara Mones-Hattal, Beth Hofer, Frederic Parke, Doug Sweetland, Keith Waters

August 1997 **Proceedings of the 24th annual conference on Computer graphics and interactive techniques**

Full text available:  pdf(1.22 MB) Additional Information: [full citation](#), [references](#), [citations](#)

16 Fuzzy input coding for an artificial neural—network modelling visual speech movements

Hans-Heinrich Bothe

February 1995 **Proceedings of the 1995 ACM symposium on Applied computing**


Full text available:  pdf(406.28 KB) Additional Information: [full citation](#), [references](#), [index terms](#)

Keywords: Kohonen map, certificial visual speech (AVS), fuzzy input coding, lip-reading, radical basis function network

17 Heads, faces, hair: Head shop: generating animated head models with anatomical structure

Kolja Kähler, Jörg Haber, Hitoshi Yamauchi, Hans-Peter Seidel

July 2002 **Proceedings of the 2002 ACM SIGGRAPH/Eurographics symposium on Computer animation**

Full text available:  pdf(9.67 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present a versatile construction and deformation method for head models with anatomical structure, suitable for real-time physics-based facial animation. The model is equipped with landmark data on skin and skull, which allows us to deform the head in anthropometrically meaningful ways. On any deformed model, the underlying muscle and bone structure is adapted as well, such that the model remains completely animatable using the same muscle contraction parameters. We employ this general techni ...

Keywords: biological modeling, deformations, facial animation, geometric modeling, morphing, physically based animation

18 An automatic lip-synchronization algorithm for synthetic faces

K. Waters, T. Levergood

October 1994 **Proceedings of the second ACM international conference on Multimedia**

Full text available:  pdf(787.45 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper addresses the problem of automatically synchronizing computer-generated faces with synthetic speech. The complete process provides a novel form of face-to-face communication and the ability to create a new range of talking personable synthetic

characters. Based on plain ASCII text input, a synthetic speech segment is generated and synchronized in real-time to a graphical display of an articulating mouth and face. The key component of the algorithm is the run-time ...

19 The virtual human as a multimodal interface

Daniel Thalmann

May 2000 **Proceedings of the working conference on Advanced visual interfaces**

Full text available:  [pdf\(1.85 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper discusses the main issues for creating Interactive Virtual Environments with Virtual Humans emphasizing the following aspects: creation of Virtual Humans, gestures, interaction with objects, multimodal communication.

Keywords: action recognition, gestures, multimodal communication, virtual humans

20 Performance-driven hand-drawn animation

Ian Buck, Adam Finkelstein, Charles Jacobs, Allison Klein, David H. Salesin, Joshua Seims, Richard Szeliski, Kentaro Toyama

June 2000 **Proceedings of the 1st international symposium on Non-photorealistic animation and rendering**

Full text available:  [pdf\(1.82 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: animation, face tracking, image morphing, non-photorealistic rendering

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE




Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.7

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)

Over 1,046,194 documents available


Cookies
 Click for more

IEEE Xplore Quick Links

- ▶ [New This Week](#)
- ▶ [OPAC Linking Information](#)
- ▶ [Email Alerts](#)
- ▶ [Your Feedback](#)
- ▶ [Technical Support](#)
- ▶ [No Robots Please](#)
- ▶ [Release Notes](#)
- ▶ [IEEE Online Publications](#)

For the Technologist
IEEE SPECTRUM

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE ANNOUNCES NEW RELEASE FOR IEEE XPLORE ENHANCEMENTS - [LEARN MORE](#).

IEEE Xplore provides full-text access to IEEE transactions, journals, magazines and conference proceedings published since 1988 plus select content back to 1950, and all current IEEE Standards.

FREE TO ALL: Browse tables of contents and access Abstract records of IEEE transactions, journals, magazines, conference proceedings and standards.

IEEE MEMBERS: Browse or search to access any complete Abstract record as well as articles from IEEE Spectrum Magazine. Access your personal online subscriptions using your active IEEE Web Account. If you do not have one, go to "Establish IEEE Web Account" to set up an account.

CORPORATE, GOVERNMENT AND UNIVERSITY

SUBSCRIBERS: Search and access complete Abstract records and full-text documents of the IEEE online publications to which your institution subscribes.

Powered by eRights

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerts](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.7

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Try our New Full-text Search Prototype **GO**[Help](#)

- 1) Enter keywords in one or more text boxes.
- 2) Select the fields to search for each keyword.
- 3) Select search operators when using multiple keywords.
- 4) Limit the results by selecting Search Options.
- 5) Click Search. See [Search Examples](#)

 In:

 In:

 In:

Note: This function returns plural and suffixed forms of the keyword(s).

Search Options:

Select publication types:

- ☒ IEEE Journals
- ☒ IEE Journals
- ☒ IEEE Conference proceedings
- ☒ IEE Conference proceedings
- ☒ IEEE Standards

Select years to search:

 From year: to

Organize search results by:

 Sort by:

 In: order

 List Results per page

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved